



JITENDRA
ELECTRIC VEHICLES



BE
DIFFERENT

BE
YUNIK

Yuvik

Chrome ARC LED Head Lamp



Eagle Vision LED Blinkers



LED Brand Logo



1st in Industry Spin Switch Riding Modes



Best in Class Longest Seat



Dual Disc Brake



Smart Digital LED Cluster



Central Remote Locking



Radiant Hex LED Tail Lamp



Storage Cubby & USB Charging Port




Detachable Battery with Thermal Propagation Alert



Side Stand Sensor & Best in Segment 180 mm Ground Clearance



1st in Industry 2.5 Kw HyperGear Powertrain



Range 130 KMPC*



Speed 72 Km/Hr



Charging Time 4 Hrs



1st in Industry 2.5Kw HyperGear Powertrain



3.8 Kw Detachable Battery



Warranty 3 Years /50000 Km WEIE


Yunik Powered by JENi



JENi

Features

- JENi Supports in 9 Regional Languages
- Family Safety Live Tracking
- Live Location Sharing Option
- Remote Ignition Control
- Ignition On/Off
- Wheel Lock/Unlock
- Parking Security and Theft Prevention
- Create Geofence
- Reports and Monitoring




Symbol Representation:

- Wheel Lock & Unlock Symbol
- Battery Percentage
- GPS Location
- Ignition ON/OFF
- Battery Voltage (SOC)

Reports

- Distance Report
- Stop Report
- Idle Report
- Trip Report
- Details Report
- Over Speed Report
- Geofence Report



Alerts

- Ignition On/Off Alert
- Over Speed Alert
- Parking Alert
- Geofence Alerts
- Wheel Lock/Unlock Alert

Yunik Accessories:



YuniKrown

A Smart Technology Helmet with Bluetooth Connectivity



YuniKase

Multi Utility Bag Design for Storage and Convenience




YuniKart Booster

Solution to Effortlessly Move the Vehicle in Case of Front Tyre Puncture



YuniKlump

Ease of Fixing and Locking Helmet on Vehicle Rear Gabriel



YuniKarpets

To Enhance Aesthetic of Vehicle



YuniKrush Guard

To Protect Your Vehicle Panels in Case of Trash

KEY FEATURES

- BOLD & MUSCULIAN LOOK
- 1ST IN INDUSTRY 2.5 KW HYPERGEAR POWERTRAIN
- 1ST IN INDUSTRY SPIN SWITCH RIDING MODES
- BEST IN CLASS LONGEST SEAT
- BEST IN SEGMENT 180 MM GROUND CLEARANCE
- DUAL DISC BRAKES
- 3.8 Kw LMPF DETACHABLE BATTERY
- BLUETOOTH-CONNECTED BATTERY
- THERMAL PROPAGATION ALERT
- INSPIRED BY MENLY HOOD WITH ILLUMINATED BRAND LOGO
- EAGLE VISION LED BLINKERS
- CHROME ARC LED HEAD LAMP
- RADIANT HEX LED TAIL LAMP
- SMART DIGITAL LED CLUSTER
- 12 INCH TYRES
- STORAGE CUBY AND USB CHARGING PORT
- SIDE STAND SENSOR
- JENI APPLICATION

VEHICLE SPECIFICATIONS

Specification	YUNIK	Gradability	7 Degree+
Real Range	130*	Loading Capacity (kg)	150
Speed (kmph)	72	GVW (kg)	261

CHASSIS SPECIFICATIONS

Chassis Specification	YUNIK	Suspension (Front/Rear)	Telescopic/Hydraulic
Frame Type	Tubular Structure	Overall Dimension (L*W*H)	1995*760*1210
Tyre Size Front/Rear	Rim: 12", Tyre: 90/90-12	Ground Clearance (mm)	180
Tyre Type	Tubeless	Brake Type (Front/Rear)	Disc/Disc

EV POWER TRAIN

EV Power Train Specification	YUNIK
Motor Type	HYPER GEAR POWER TRAIN BLDC Hub
Motor Rated Power	2.5 Kw

BATTERY & CHARGING SPECIFICATIONS

Battery & Charging	YUNIK	No. of Batteries	1
Battery Type	LMFP	Battery Fixed/Detachable	Detachable
Battery Capacity (Kwh)	3.8	Charger Amp	60V 15 Amp
Battery Configuration	60V 64 Ah	Charging Time	4 Hrs

CLUSTER FEATURES

Cluster Feature	YUNIK	Vehicle Speed Bar	Yes
Cluster Type	LED	Trip Meter	Yes
Fault Finding Indicator	Yes	Odometer	Yes
Battery % Bar	Yes	Vehicle Gear/ Speed Mode	Yes

Warranty , Available Colors & Pricing

Warranty Type	YUNIK
Vehicle Warranty	3 Years or 50,000 Whichever is Earlier
Battery Warranty	3 Years or 50,000 Whichever is Earlier
Available Colors	Meadow Green, Dusk Blue, Eclipse Black, Forest White, Volcano Red
Ex Showroom	1,24,083/-



JITENDRA
ELECTRIC VEHICLES

Muniik



ECLIPSE
BLACK

VOLCANO
RED

MEADOW
GREEN

DUSK
BLUE

FOREST
WHITE

Dealer Name

Manufactured By:- Jitendra New EV Tech. Pvt. Ltd.
B-88, Arihant Plaza, MIDC, Ambad, Nashik-422010 (MH)
Salesline-7057299999. www.jitendraev.com
For More Information Email : info@jitendraev.com
For Dealership Email us at : dealerenquiry@jitendraev.com
Follow Us On:     



Download JENi



Chat on WhatsApp