



JITENDRA
ELECTRIC VEHICLES

JMT 1000 SWE



Range 90 KMPC*



Speed 49 kmph



Digital Smart Cluster



Side Stand Sensor



USB Charging Port



Charging 3.5Hrs*

*T & C Apply

KEY FEATURES COMPARISON	
Feature	JMT 1000 SW E
3 Speed Riding Modes	Yes
Reverse Assist	Yes
Kill Switch	Yes
Splited 2 Seat	Yes
Central Remote Locking & Alarm	Na
Keyless Entry	Na
Battery % Indication	Yes
Distance To Empty	Yes
Side Stand Sensor/Indication	Yes
USB Charging Port	Yes
Rear Shock Absorber	Hydraulic
Thermal Propagation Alert	Yes
Bluetooth Connected Battery	Yes

VEHICLE SPECIFICATIONS	
Specification	JMT 1000 SW E
Real Range	90*
Speed (kmph)	49
Gradability	7 Degree+
Loading Capacity (kg)	150
GVW (kg)	255
CHASSIS SPECIFICATIONS	
Chassis Specification	JMT 1000 SW E
Frame Type	Tubular Structure
Tyre Size Front/Rear	Rim: 10", Tyre: 90/90-10
Tyre Type	Tubeless
Suspension (Front/Rear)	Telescopic/Hydraulic
Overall Dimension (L*W*H)	1880*680*1095
Ground Clearance (mm)	165
Brake Type (Front/Rear)	Disc/Drum
EV POWER TRAIN	
EV Power Train Specification	JMT 1000 SW E
Motor Type	BLDC Hub
Motor Rated Power	1.07 Kw

BATTERY & CHARGING SPECIFICATIONS	
Battery & Charging	JMT 1000 SW E
Battery Type	LFP Prismatic
Battery Capacity (Kwh)	2.56
Battery Configuration	51.2V 48.6Ah
No. of Batteries	1
Battery Fixed/Detachable	Fixed
Charger Amp	48V 15 Amp
Charging Time	3.5 Hrs
CLUSTER FEATURES	
Cluster Feature	JMT 1000 SW E
Digital Segmented Display	Yes
Temperature Indicator	Yes
Time Indicator	Yes
Fault Finding Indicator	Yes
Maintenance Symbol	Yes
Battery % with Bar	Yes
Vehicle Speed Bar	Yes
Trip Meter	Yes
Odometer	Yes
Vehicle Gear/ Speed Mode	Yes
Expected Range	Yes

JMT 1000 SW (Variant 2) Additional Battery & Charger Specs & Features

Feature	Details
SOC Accuracy	Up to 95%
Predictive Maintenance & OTA Updates	Yes
Battery Compatibility & Fast Charging on Ather Grid	Yes
Remote Diagnostics of Battery	Yes
Fault Alerts (Discharger or Any Issue)	Via Email & Whatsapp
Automatic Battery Balancing	Yes
Take Me Home Reserve Function	Yes
Battery Temperature Control	Precise control at 45°C
Battery Warranty	4 Years / 1500 cycles or 100,000 Km (whichever is earlier)
Extended Warranty	Up to 2 years (Subscription: INR 200/month)
Buy Back Guarantee	Up to 15%
Fast Charging on Ather Grid	50% Charge in 25 Min & 100% Charge in 50 Min
Slow Charger (Mandatory)	Specs: Charging Current- 15 amp
Slow Charger Advantage	Works with any domestic 3-pin socket, Warranty: 12 months, Charging time: 3.5 hrs. for 100%
Fast Charger (Optional)	Specs: Charging Current- 50 amp
Fast Charger Advantage	IP 65 rated, Wall mounted, Works with any domestic 3-pin 15 amp socket, Warranty: 39 months, Charging time for Flexi Pack: 1 hr. for 100% and 30 min for 50% Charge.

WARRANTY , AVAILABLE COLORS & PRICING

Warranty Type	JMT 1000 SW E
Vehicle Warranty	Standard Warranty 3 Year or 30,000 Km on Specific Components and 1 Year or 10,000 Km on Charger
Battery Warranty	4 Year*/1500 cycles* or 100,000 Km* whichever is Earlier
Available Colors	White, Black, Grey, Red, Silver
Ex Showroom	1,24,000/-

Manufactured By:- Jitendra New EV Tech. Pvt. Ltd.

B-88, Arihant Plaza, MIDC, Ambad, Nashik-422010 (MH)

Salesline-7057299999. www.jitendraev.com

Email : info@jitendraev.com Follow Us On:     



**Chat on
WhatsApp**